

INDUSTRIAL ENCLOSURES



- Metric
- Modular
- Steel
- Stainless Steel
- Plastic
- Fiberglass



- NEMA
- Steel
- Stainless Steel



- Metric
- Plastic



- NEMA
- Fiberglass



NEMA Ratings

Rating	Intended Use and Description
NEMA 1	Indoor use primarily to provide a degree of protection against limited amounts of falling dirt.
NEMA 3R	Outdoor use primarily to provide a degree of protection against rain, sleet, and damage from external ice formation.
NEMA 4	Indoor or outdoor use primarily to provide a degree of protection against windblown dust and rain, splashing water, hose-directed water and damage from external ice formation.
NEMA 4X	Indoor or outdoor use primarily to provide a degree of protection against corrosion, windblown dust and rain, splashing water, hose-directed water, and damage from external ice formation.
NEMA 12	Indoor use primarily to provide a degree of protection against circulating dust, falling dirt, and dripping non-corrosive liquids.
NEMA 13	Indoor use primarily to provide a degree of protection against dust, spraying of water, oil, and non-corrosive coolant.

IP Ratings

Digit	First Digit: Protected Against Ingress of Solid Objects	Second Digit: Protected Against Ingress of Liquids
0	No protection	No protection
1	Over 50mm (e.g. hands, large tools)	Vertically falling drops of water or condensation
2	Over 12.5mm (e.g. hands, large tools)	Falling drops of water, if the case is disposed up to 15° from vertical
3	Over 2.5mm (e.g. wire, small tools)	Sprays of water from any direction, even if the case is disposed up to 60° from vertical
4	Over 1.0mm (e.g. wire)	Splash water from any direction
5	Limited protection against dust ingress	Low pressure water jets from any direction; limited ingress permitted
6	Totally protected against dust ingress	High pressure water jets from any direction; limited ingress permitted
7	N/A	Short periods of immersion in water
8	N/A	Long, durable periods of immersion in water

FREE Ground Shipping!*
for online orders over \$500



Pushbutton Boxes, Plastic



NEMA 4X

from
\$24

NEW!



Features

- 22mm or 30mm
- NEMA 4X, IP66 protection
- UL94-5VA non-flammable, Polyester
- UV F1 rating
- Screw cover
- Poured gasket with tongue-and-groove closure
- Temp. Range -40°F to 167°F (-40°C to 75°C)

22mm Hole Diameter

Number of Holes	Hole Diameter	Box Color	Dimensions mm (in)			Part Number	Price
			H	W	D		
1	22mm	Grey	110 (4.33)	80 (3.15)	75 (2.95)	DS-PCG-0811-1B1	\$24
1	22mm	Yellow	110 (4.33)	80 (3.15)	75 (2.95)	DS-PCG-0811-1B1Y	\$26
2	22mm	Grey	130 (5.12)	80 (3.15)	85 (3.35)	DS-PCG-0813-1B2	\$29
3	22mm	Grey	180 (7.09)	80 (3.15)	85 (3.35)	DS-PCG-0818-1B3	\$31
4	22mm	Grey	250 (9.84)	80 (3.15)	85 (3.35)	DS-PCG-0825-1B4	\$33

30mm Hole Diameter

Number of Holes	Hole Diameter	Box Color	Dimensions mm (in)			Part Number	Price
			H	W	D		
1	30mm	Grey	110 (4.33)	80 (3.15)	75 (2.95)	DS-PCG-0811-A1	\$24
1	30mm	Yellow	110 (4.33)	80 (3.15)	75 (2.95)	DS-PCG-0811-A1Y	\$26
2	30mm	Grey	130 (5.12)	80 (3.15)	85 (3.35)	DS-PCG-0813-1A2	\$29
3	30mm	Grey	180 (7.09)	80 (3.15)	85 (3.35)	DS-PCG-0818-1A3	\$31
4	30mm	Grey	250 (9.84)	80 (3.15)	85 (3.35)	DS-PCG-0825-1A4	\$33



See Pushbutton Section for 22mm and 30mm Operator Devices

IP65, 22mm



Features

- 22mm pushbutton enclosures in 1, 2, and 3 hole models
- Made of self-extinguishing, Thermoplastic ABS material with total insulation
- IP65 Degree of Protection
- M20 threaded cable knockouts

from
\$11



22mm Hole Diameter

Part Number	Description	Dimensions	Price
590.PRO1K-A	1-hole	2.95"Hx2.95"Wx2.13"D	\$11
590.PRO2K-A	2-hole	3.86"Hx2.95"Wx2.13"D	\$15
590.PRO3K-A	3-hole	5.71"Hx2.95"Wx2.13"D	\$16

Note: WEG legend plates can be used for horizontal mounting only. Enclosures to only be used with single-deep contact blocks. Not compatible with FM-P0T6, AF5, BC11, BC20, and BR 22mm devices.



FREE Ground Shipping!*
for online orders over \$500



Pushbutton Boxes, Fiberglass

NEMA Type 1, 2, 3, 3R, 4, 4X, 12, 13 UL, CSA



22mm Hole Diameter, screw cover

Config.	Part Number	Dimensions	Price
1 Hole	AM1PB22	7"x4"x4"D	\$32
2 Hole	AM2PB22	7"x4"x4"D	\$32
3 Hole	AM3PB22	9"x4"x4"D	\$34

30mm Hole Diameter, screw cover

Config.	Part Number	Dimensions	Price
1 Hole	AM1PB	7"x4"x4"D	\$32
2 Hole	AM2PB	7"x4"x4"D	\$32
3 Hole	AM3PB	9"x4"x4"D	\$34



AM Series pushbutton enclosures are well suited for high temperature or corrosive environments. They feature a variety of latching options that allow you to provide the level of security or ease of access needed for each application.

Features

- NEMA Type 1, 2, 3, 3R, 4, 4X, 12, 13 UL, CSA
- Molded fiberglass reinforced polyester construction
- Continuous stainless steel hinge
- Inline enclosures available with 30mm or 22mm holes
- Multi-Hole Enclosure available with 30mm holes
- Tongue and groove closed-cell neoprene gasket
- Grounding strap included
- 304 stainless steel hardware and mounting feet
- UV stabilized for outdoor use

30mm Hole Diameter, screw cover

Config.	Lift-off Screw Cover		
	Part Number	Dim	Price
4 Hole	AM664P4	6"x6"x4"D	\$44
6 Hole	AM864P6	8"x6"x4"D	\$48
9 Hole	AM1084P9	10"x8"x4"D	\$58
9 Hole	AM1086P9	10"x8"x6"D	\$61
12 Hole	AM1086P12	10"x8"x6"D	\$67
16 Hole	AM1206P16	12"x10"x6"D	\$78
20 Hole	AM1206P20	12"x10"x6"D	\$82
25 Hole	AM1426P25	14"x12"x6"D	\$92
30 Hole	AM1648P30	16"x14"x8"D	\$104
42 Hole	AM1868P42	18"x16"x8"D	\$146

30mm Hole Diameter, hinged cover

Config.	Hinged Screw Cover		
	Part Number	Dim	Price
4 Hole	AM664HP4	6"x6"x4"D	\$46
6 Hole	AM864HP6	8"x6"x4"D	\$51
9 Hole	AM1084HP9	10"x8"x4"D	\$70
9 Hole	AM1086HP9	10"x8"x6"D	\$72
12 Hole	AM1086HP12	10"x8"x6"D	\$76
16 Hole	AM1206HP16	12"x10"x6"D	\$82
20 Hole	AM1206HP20	12"x10"x6"D	\$85
25 Hole	AM1426HP25	14"x12"x6"D	\$95
30 Hole	AM1648HP30	16"x14"x8"D	\$107
42 Hole	AM1868HP42	18"x16"x8"D	\$147

Items with prices shown in gray typically have lead times of 2-10 days. Call to confirm.

MINIATURE CIRCUIT BREAKER ENCLOSURES

Plastic

IP65



ICB-1265
12-Slot



from
\$22



ICB-0465
4-Slot



ICB-0865
8-Slot



ICB-1865
18-Slot



ICB-3665
36-Slot
(2 x 18 Slots)



ICB-2465
24-Slot
(2 x 12 Slots)



ICB-5465
54-Slot
(3 x 18 Slots)

Part Number	Slots	Dimensions	Price
ICB-0465	4	8.3"Hx5.6"Wx4"D	\$22
ICB-0865	8	8.3"Hx8.5"Wx4"D	\$28
ICB-1265	12	10.4"Hx12.4"Wx5.6"D	\$51
ICB-1865	18	11.3"Hx16.8"Wx5.6"D	\$72
ICB-2465	24	16.5"Hx12.4"Wx5.6"D	\$87
ICB-3665	36	18.5"Hx16.8"Wx5.8"D	\$119
ICB-5465	54	25.9"Hx16.8"Wx5.8"D	\$159

Note: a slot is approximately 18mm wide or the equivalent width of a 1-pole miniature circuit breaker.

Features

- IP65 Protection
- Rugged Polycarbonate
- Mount up to 54 MCB's
- Pre-installed DIN-rail
- Hinged Translucent Door
- Lockable with Keylock Accessory
- Also Fits DIN 43 880 Standard Profile Devices (such as: PLRs, Timers/Counters, and Solid State Relays)

Accessories

Part Number	Description	Price
ICB-SR65	Keylock	\$16



ICB-SR65

These miniature circuit breakers fit the ICB enclosures!



The SG2 programmable relay also fits the ICB enclosures!



JUNCTION BOXES

Steel

IP66

from
\$39



Construction

- 1.2mm steel
- Folded and seam welded
- Four 8.5mm diameter holes for wall mounting
- Supports for DIN-rails/ Sub-panel
- Extruded one piece polyurethane gasket



Features

- Complies with IP66, IK10
- RAL 7035 powder coated finish

Components and Accessories

- Mounting screws for Sub-panel or DIN rail
- Cover plugs
- Grounding hardware

Nominal Size	Enclosure Dimensions mm (in)			Part Number	Price	Sub-panel	
	HxWxD	H	W			Usable Depth	Part Number
6x6x3"	150 (5.91")	150 (5.91")	80 (3.15")	STB151508	\$39	BMP1515	\$4
6x6x5"	150 (5.91")	150 (5.91")	120 (4.72")	STB151512	\$39	BMP1515	\$4
6x12x3"	150 (5.91")	300 (11.81")	80 (3.15")	STB153008	\$46	BMP1530	\$7
6x12x5"	150 (5.91")	300 (11.81")	120 (4.72")	STB153012	\$50	BMP1530	\$7
8x8x3"	200 (7.87")	200 (7.87")	80 (3.15")	STB202008	\$46	BMP2020	\$7
8x8x5"	200 (7.87")	200 (7.87")	120 (4.72")	STB202012	\$49	BMP2020	\$7
8x12x3"	200 (7.87")	300 (11.81")	80 (3.15")	STB203008	\$49	BMP2030	\$8
8x12x5"	200 (7.87")	300 (11.81")	120 (4.72")	STB203012	\$55	BMP2030	\$8
8x16x3"	200 (7.87")	400 (15.75")	80 (3.15")	STB204008	\$57	BMP2040	\$13
8x16x5"	200 (7.87")	400 (15.75")	120 (4.72")	STB204012	\$61	BMP2040	\$13
8x20x5"	200 (7.87")	500 (19.69")	120 (4.72")	STB205012	\$68	BMP2050	\$13
8x24x5"	200 (7.87")	600 (23.62")	120 (4.72")	STB206012	\$74	BMP2060	\$14
8x32x5"	200 (7.87")	800 (31.5")	120 (4.72")	STB208012	\$109	BMP2080	\$24
12x12x3"	300 (11.81")	300 (11.81")	80 (3.15")	STB303008	\$71	BMP3030	\$12
12x12x5"	300 (11.81")	300 (11.81")	120 (4.72")	STB303012	\$66	BMP3030	\$12
12x16x5"	300 (11.81")	400 (15.75")	120 (4.72")	STB304012	\$72	BMP3040	\$14
12x20x5"	300 (11.81")	500 (19.69")	120 (4.72")	STB305012	\$81	BMP3050	\$18
12x24x5"	300 (11.81")	600 (23.62")	120 (4.72")	STB306012	\$90	BMP3060	\$23
16x16x5"	400 (15.75")	400 (15.75")	120 (4.72")	STB404012	\$87	BMP4040	\$20
16x24x5"	400 (15.75")	600 (23.62")	120 (4.72")	STB406012	\$102	BMP4060	\$29
16x31x5"	400 (15.75")	800 (31.5")	120 (4.72")	STB408012	\$119	BMP4080	\$35



FREE Ground Shipping!
for online orders over \$500



Junction Boxes, Plastic (cont'd)



NEMA 4, 4X, 12, 13



Features

- High UV resistance Polycarbonate
- Flammability meets UL94 V2
- Suitable for outdoor installation
- Polyurethane gasket in cover
- NEMA 4, 4X, 12, 13 and IP66/67
- -58°F to 212°F (-50°C to 100°C)
- Stainless Steel cover screws and protective plastic screw covers
- Screws for mounting DIN-rail or Sub-panel

DPCP Polycarbonate Boxes

Nominal Size HxWxD	Enclosure Dimensions mm (in)			Part Number	Price	Sub-panel Part Number	Price
	H	W	D				
3x3x2"	80 (3.15")	82 (3.21")	56 (2.20")	DPCP080806GE	\$15	DMP0808E	\$3
3x3x3"	80 (3.15")	82 (3.21")	86 (3.39")	DPCP080809GE	\$18	DMP0808E	\$3
3x5x2"	80 (3.15")	120 (4.72")	56 (2.20")	DPCP081206GE	\$20	DMP0812E	\$4
3x5x3"	80 (3.15")	120 (4.72")	86 (3.39")	DPCP081209GE	\$23	DMP0812E	\$4
3x6x2"	80 (3.15")	160 (6.30")	56 (2.20")	DPCP081606GE	\$23	DMP0816E	\$3
3x6x3"	80 (3.15")	160 (6.30")	86 (3.39")	DPCP081609GE	\$25	DMP0816E	\$3
5x5x2"	120 (4.72")	122 (4.80")	56 (2.20")	DPCP121206GE	\$20	DMP1212E	\$3
5x5x3"	120 (4.72")	122 (4.80")	86 (3.39")	DPCP121209GE	\$23	DMP1212E	\$3
5x6x4"	120 (4.72")	160 (6.30")	91 (3.58")	DPCP121609GE	\$31	DMP1216E	\$5
5x8x3"	120 (4.72")	200 (7.87")	86 (3.39")	DPCP122009GE	\$32	DMP1220E	\$7
6x8x3"	150 (5.91")	200 (7.87")	76 (2.99")	DPCP152008GE	\$39	DMP1520E	\$7
6x9x4"	160 (6.30")	240 (9.45")	91 (3.58")	DPCP162409GE	\$45	DMP1624E	\$7
5x9x5"	160 (6.30")	240 (9.45")	121 (4.76")	DPCP162412GE	\$49	DMP1624E	\$7
9x12x3"	230 (9.06")	300 (11.81")	86 (3.39")	DPCP233009GE	\$73	DMP2330E	\$10
9x12x4"	230 (9.06")	300 (11.81")	111 (4.37")	DPCP233011GE	\$92	DMP2330E	\$10

Steel DIN Rail for DPCP Boxes

Fits Enclosure Width mm	Part Number	Price
82	DR350584E	\$2
120/122	DR350964E	\$3
160	DR351364E	\$3
200	DR351764E	\$5
240	DR352154E	\$5
300	DR352754E	\$4

Accessories

Part Number	Description	Price
DFL1E	Polycarbonate Wall Mounting Bracket	\$5
DSH1E	Polycarbonate Hinges for Enclosure Lid	\$12

Sub-panel and DIN-rail Options



Optional
DMPxxxxE
Steel Sub-panel



Optional
DRxxxxxE
Steel DIN-rail

Junction Boxes, Plastic (cont'd)



NEMA 4, 4X, 12, 13, Extendable-Depth



OPCP Boxes and Optional Sub-panels

Nominal Size HxWxD	Enclosure Dimensions mm (in)			Part Number	Price	Sub-panel Part Number	Price
	H	W	D				
8x8x5"	200 (7.87")	200 (7.87")	130 (5.12")	OPCP202013GE	\$54	OMP2020E	\$9
8x12x5"	200 (7.87")	300 (11.81")	130 (5.12")	OPCP203013GE	\$69	OMP2030E	\$13
8x16x5"	200 (7.87")	400 (15.75")	130 (5.12")	OPCP204013GE	\$85	OMP2040E	\$16
12x12x5"	300 (11.81")	300 (11.81")	130 (5.12")	OPCP303013GE	\$89	OMP3030E	\$16
12x16x5"	300 (11.81")	400 (15.75")	130 (5.12")	OPCP304013GE	\$109	OMP3040E	\$22
12x24x5"	300 (11.81")	600 (23.62")	130 (5.12")	OPCP306013GE	\$151	OMP3060E	\$30
16x24x5"	400 (15.75")	600 (23.62")	130 (5.12")	OPCP406013GE	\$211	OMP4060E	\$46


Steel DIN Rail for OPCS Boxes

Fits Enclosure Width mm	Part Number	Price
200	DR351505E	\$3
300	DR352505E	\$3
400	DR353505E	\$5

Accessories

Part Number	Description	Price
OFL1E	Polymide Wall Mounting Bracket	\$7
OHI1E	Polycarbonate Hinges for Enclosure Lid	\$14
OCPIE	Cover Plugs for Hinged Boxes	\$2
OLW55E	Wing Screws for Hinged Boxes, 1 pkg	\$2
OEL1E	Sub-panel Depth Adjustment Kit	\$2

The OPCS Series non-metallic enclosures from Eldon offer extraordinary flexibility for mounting and accessibility. Hardware is included for mounting optional DIN-rail or the optional sub-panel. The lid can be hinged for quick access using optional accessories. Extension kits are available to increase enclosure depth while maintaining NEMA and IP compliance, and OPCS boxes are designed for indoor or outdoor installations.



Features

- High UV resistance Polycarbonate
- Flammability meets UL94 V2
- Suitable for outdoor installation
- Continuous polyurethane gasket in lid
- NEMA 4, 4X, 12, 13 and IP66/67
- -58°F to 212°F (-50°C to 100°C)
- Captive polyamide cover screws

Depth Extensions

Extension Dimensions mm (in)			Fits Enclosure Part Number	Extension Part Number	Price
H	W	D			
200 (7.87")	200 (7.87")	55 (2.17")	OPCP202013GE	OPCP202006EE	\$20
200 (7.87")	300 (11.81")	55 (2.17")	OPCP203013GE	OPCP203006EE	\$24
200 (7.87")	400 (15.75")	55 (2.17")	OPCP204013GE	OPCP204006EE	\$28
300 (11.81")	300 (11.81")	55 (2.17")	OPCP303013GE	OPCP303006EE	\$30
300 (11.81")	400 (15.75")	55 (2.17")	OPCP304013GE	OPCP304006EE	\$32
300 (11.81")	600 (23.62")	55 (2.17")	OPCP306013GE	OPCP306006EE	\$41
400 (15.75")	600 (23.62")	55 (2.17")	OPCP406013GE	OPCP406006EE	\$42

FREE Ground Shipping!*
for online orders over \$500



Wall Mount, Plastic

NEMA 4X, IP66, Single Door



Features

- High impact polyester enclosure
- Hinged cover with snap latches
- NEMA 4X, IP66 protection
- UL94-5VA non-flammable, UV F1 rating
- Poured gasket with tongue-and-groove closure
- Steel subpanel included
- Temp. Range -40°F to 167°F (-40°C to 75°C)



Hinged Cover, Snap Latch

Nominal Size HxWxD	Dimensions mm (in)			Part Number	Price
	H	W	D		
8x6x4"	200 (7.87)	150 (5.91)	100 (3.94)	EN-PCG-1520	\$42
7x7x6"	180 (7.09)	180 (7.09)	150 (5.91)	EN-PCG-1818	\$45
12x8x8"	300 (11.81)	200 (7.87)	200 (7.87)	EN-PCG-2030-B	\$72
18x14x8"	450 (17.72)	350 (13.78)	200 (7.87)	EN-PCG-3545	\$127
20x16x8"	500 (19.69)	400 (15.75)	200 (7.87)	EN-PCG-4050-B	\$142
21x17x8"	530 (20.87)	430 (16.93)	200 (7.87)	EN-PCG-4353	\$207
24x20x10"	600 (23.62)	500 (19.69)	250 (9.84)	EN-PCG-5060	\$280
28x20x10"	700 (27.56)	500 (19.69)	250 (9.84)	EN-PCG-5070	\$309

Replacement Subpanels (enclosures include one subpanel)

Part Number	Description	Price
DS-1520	Replacement subpanel for EN-PCG-1520 enclosure	\$7
DS-1818	Replacement subpanel for EN-PCG-1818 enclosure	\$7
DS-2030	Replacement subpanel for EN-PCG-2030-B enclosure	\$10
DS-2535	Replacement subpanel for EN-PCG-2535-B enclosure	\$16
DS-3545	Replacement subpanel for EN-PCG-3545 enclosure	\$22
DS-4050	Replacement subpanel for EN-PCG-4050-B enclosure	\$24
DS-4353	Replacement subpanel for EN-PCG-4353 enclosure	\$24
DS-5060	Replacement subpanel for EN-PCG-5060 enclosure	\$41
DS-5070	Replacement subpanel for EN-PCG-5070 enclosure	\$45

Accessories

Part Number	Description	Price
DS-B-40	Wall mounting brackets, stainless steel, 4 pcs., for use with EN-xxx-1520	\$3
DS-B-50	Wall mounting brackets, stainless steel, 4 pcs., for use with EN-xxx-1818 to EN-2535B	\$4
DS-B-60	Wall mounting brackets, stainless steel, 4 pcs., for use with EN-xxx-3545 to EN-xxx-6080	\$4
DSK-40	Padlocking clasp, stainless steel	\$8



FREE Ground Shipping!*
for online orders over \$500





Wall Mount, Fiberglass

NEMA 4, 4X, 12, 13, UniPlast Series

Eldon's UniPlast series enclosures are constructed of fiberglass reinforced polyester, which is self-extinguishing and halogen free. The UniPlast design is double isolated in accordance with EN60439-1 for maximum safety. An extruded one-piece polyurethane gasket assures consistent environmental protection. The UniPlast enclosures are rated NEMA 4, 4X, 12, and 13.

Construction

- Body: 3mm fiberglass reinforced polyester
- Door: 180° opening; transparent Polycarbonate viewing area (on UCPT); door lifter ensures easy closing (on sizes xxx750 and above)
- Gasket: one-piece extruded polyurethane gasket
- Lock: Quarter-turn keyed latch; three point locking system on sizes xxx540 and above
- Operating Temp: -58°F to 158°F (-50°C to 70°C)

Features

- Four holes for wall mounting
- Keyed latch for security (DIN 3mm)
- Rated IP66, NEMA 4, 4X, 12, and 13
- RAL 7035 pre-colored raw material

Includes

- Hardware for sub-panel*
- Latching mechanism with plastic key
- Self-adhesive rain strip

* Sub-panel ordered separately

from

\$89

NEW!



NEMA 4X



UCP Series

Nominal Size	Enclosure Dimensions mm (in)			# of Locking Pts	Part Number	Price	Galvanized Steel Sub-panel*	Price	Insulated Sub-panel*	Price
	HxWxD	H	W							
12x8x7"	315 (12.40")	215 (8.46")	170 (6.69")	1	UCP320	\$89	UMPZ320	\$6	UMPP320	\$15
16x12x7"	415 (16.34")	315 (12.40")	170 (6.69")	1	UCP430	\$123	UMPZ430	\$12	UMPP430	\$21
20x16x9"	515 (20.28")	415 (16.34")	230 (9.06")	3	UCP540	\$241	UMPZ540	\$21	UMPP540	\$38
24x16x9"	615 (24.21")	415 (16.34")	230 (9.06")	3	UCP640	\$271	UMPZ640	\$25	UMPP640	\$48
29x21x11"	735 (28.94")	535 (21.06")	270 (10.63")	3	UCP750	\$490	UMPZ750	\$53	UMPP750	\$52
33x25x12"	835 (32.87")	635 (25.00")	300 (11.81")	3	UCP860	\$467	UMPZ860	\$59	UMPP860	\$77
41x33x12"	1035 (40.75")	835 (32.87")	300 (11.81")	3	UCP1080	\$670	UMPZ1080	\$97	UMPP1080	\$119

* Sub-panel ordered separately

from

\$261

NEW!



NEMA 4X



UCPT Series with Transparent Door

Nominal Size	Enclosure Dimensions mm (in)			# of Locking Pts	Part Number	Price	Galvanized Steel Sub-panel*	Price	Insulated Sub-panel*	Price
	HxWxD	H	W							
16x12x7"	415 (16.34")	315 (12.40")	170 (6.69")	1	UCPT430	\$261	UMPZ430	\$12	UMPP430	\$21
20x16x9"	515 (20.28")	415 (16.34")	230 (9.06")	3	UCPT540	\$397	UMPZ540	\$21	UMPP540	\$38
24x16x9"	615 (24.21")	415 (16.34")	230 (9.06")	3	UCPT640	\$441	UMPZ640	\$25	UMPP640	\$48
29x21x11"	735 (28.94")	535 (21.06")	270 (10.63")	3	UCPT750	\$692	UMPZ750	\$53	UMPP750	\$52
33x25x12"	835 (32.87")	635 (25.00")	300 (11.81")	3	UCPT860	\$703	UMPZ860	\$59	UMPP860	\$77
41x33x12"	1035 (40.75")	835 (32.87")	300 (11.81")	3	UCPT1080	\$937	UMPZ1080	\$97	UMPP1080	\$119

* Sub-panel ordered separately



UWMB01

Accessories

Part Number	Description	Price
UWMB11	304 SS Wallmounting Bracket, 20mm wall clearance, hardware included	\$36
UCD01	Sub-panel depth adjustment kit	\$31

Wall Mount, Fiberglass (cont'd)



AM Series Enclosures

NEMA 4X JIC Size Flat-cover

AM Series pushbutton enclosures are well suited for high temperature or corrosive environments. They feature a variety of latching options that allow you to provide the level of security or ease of access needed for each application.

Features

- NEMA Type 1, 2, 3, 3R, 4, 4X, 12, 13 UL, CSA
- Standard JIC size enclosures
- Molded fiberglass reinforced polyester construction
- Continuous stainless steel hinge
- Closed-cell neoprene gasket
- Matching flat cover
- 304 stainless steel hardware and mounting feet
- Mounting panel inserts for optional back panel
- UV stabilized for outdoor use



from
\$45



from
\$54



Hinged Flat Screw Cover

Dimensions	Hinged Screw Cover		Steel Sub-Panel	
	Part #	Price	Part #	Price
6"x6"x4D"	AM664H	\$45	P66	\$5
8"x6"x4D"	AM864H	\$47	P86	\$6
10"x8"x4D"	AM1084H	\$50	P108	\$8
10"x8"x6D"	AM1086H	\$53	P108	\$8
12"x10"x6D"	AM1206H	\$64	P120	\$10
14"x12"x6D"	AM1426H	\$73	P142	\$17
16"x14"x8D"	AM1648H	\$85	P164	\$21
18"x16"x8D"	AM1868H	\$119	P186	\$24
20"x16"x8D"	AM2068H	\$184	P206	\$36

Twist Latch Flat Screw Cover

Dimensions	Twist-latch Hinged Cover		Steel Sub-Panel	
	Part #	Price	Part #	Price
6"x6"x4D"	AM664T	\$54	P66	\$5
8"x6"x4D"	AM864T	\$56	P86	\$6
10"x8"x4D"	AM1084T	\$61	P108	\$8
10"x8"x6D"	AM1086T	\$65	P108	\$8
12"x10"x6D"	AM1206T	\$72	P120	\$10
14"x12"x6D"	AM1426T	\$86	P142	\$17
16"x14"x8D"	AM1648T	\$97	P164	\$21
18"x16"x8D"	AM1868T	\$129	P186	\$24
20"x16"x8D"	AM2068T	\$191	P206	\$36

AM-R Series Enclosures

The AM-R Series offers the same features, sizes and options as the AM series, with the added capacity provided by a raised cover. The raised cover adds an additional 1 3/4" of depth to accommodate switches and other devices, and can be used with an optional hinged dead front panel for maximum configuration flexibility within a single enclosure.

Features

- NEMA Type 1, 2, 3, 3R, 4, 4X, 12, 13 (UL, CSA)
- Standard JIC size enclosures
- Molded fiberglass reinforced polyester construction
- Continuous stainless steel hinge
- Closed-cell neoprene gasket
- Matching flat cover
- 304 stainless steel hardware and mounting feet
- Mounting panel inserts for optional back panel
- UV stabilized for outdoor use



from
\$58



from
\$84



Hinged, Raised Cover

Dimensions	Twist-latch Hinged Cover with Raised Cover		Steel Sub-Panel	
	Part #	Price	Part #	Price
6"x6"x4D"	AM664RT	\$58	P66	\$5
8"x6"x4D"	AM864RT	\$60	P86	\$6
10"x8"x4D"	AM1084RT	\$65	P108	\$8
10"x8"x6D"	AM1086RT	\$69	P108	\$8
12"x10"x6D"	AM1206RT	\$77	P120	\$10
14"x12"x6D"	AM1426RT	\$89	P142	\$17
16"x14"x8D"	AM1648RT	\$102	P164	\$21
18"x16"x8D"	AM1868RT	\$134	P186	\$24
20"x16"x8D"	AM2068RT	\$197	P206	\$36

Hinged, Raised Cover w/Window

Dimensions	Twist-latch Hinged Raised Cover with Window		Steel Sub-Panel	
	Part #	Price	Part #	Price
6"x6"x4D"	AM664RTW	\$84	P66	\$5
8"x6"x4D"	AM864RTW	\$89	P86	\$6
10"x8"x4D"	AM1084RTW	\$100	P108	\$8
10"x8"x6D"	AM1086RTW	\$110	P108	\$8
12"x10"x6D"	AM1206RTW	\$119	P120	\$10
14"x12"x6D"	AM1426RTW	\$145	P142	\$17
16"x14"x8D"	AM1648RTW	\$161	P164	\$21
18"x16"x8D"	AM1868RTW	\$191	P186	\$24
20"x16"x8D"	AM2068RTW	\$299	P206	\$36

Aluminum Hinged Deadfront Panels



Part Number	Description	Price
HFP108	DEADFRONT PANEL, ALUMINUM, FOR AM-R SERIES, AM1086R	\$39
HFP120	DEADFRONT PANEL, ALUMINUM, FOR AM-R SERIES, AM1206R	\$48
HFP142	DEADFRONT PANEL, ALUMINUM, FOR AM-R SERIES, AM1426R	\$56
HFP164	DEADFRONT PANEL, ALUMINUM, FOR AM-R SERIES, AM1648R	\$59
HFP186	DEADFRONT PANEL, ALUMINUM, FOR AM-R SERIES, AM1868R	\$67
HFP206	DEADFRONT PANEL, ALUMINUM, FOR AM-R SERIES, AM2068R	\$90

Lead time items. Lead time 2-10 days. Call to confirm delivery.



FREE Ground Shipping!
for online orders over \$500





Wall Mount, Fiberglass (cont'd)

NEMA 1, 2, 3, 3R, 4, 4X, 12, 13, Control Series

These fiberglass enclosures insulate and protect controls and components against the harshest environments. They feature rugged stainless steel hinges and latches for secure closure.

Features

- NEMA Type 1, 2, 3, 3R, 4, 4X, 12, 13 UL, CSA
- Molded fiberglass reinforced polyester construction
- Closed-cell neoprene gasket encased in a continuous channel
- 304 stainless steel hardware and mounting feet
- Mounting panel inserts for optional back panel
- UV stabilized for outdoor use

Snap-Latch Hinged Cover



from **\$360**



Dimensions	Snap-latch Hinged Cover		Galvanized Sub-Panel		Aluminum Sub-Panel		Steel Sub-Panel		Aluminum Deadfront Panel	
	Part #	Price	Part #	Price	Part #	Price	Part #	Price	Part #	Price
24"x20"x8"	AM24208RL	\$360	PG2420	\$55	PA2420	\$71	P2420	\$81	-	-
24"x20"x10"	AM24200RL	\$366	PG2420	\$55	PA2420	\$71	P2420	\$81	HFP2420	\$178
24"x24"x8"	AM24248RL	\$383	PG2424	\$63	PA2424	\$78	P2424	\$83	HFP2424	\$192
24"x24"x10"	AM24240RL	\$393	PG2424	\$63	PA2424	\$78	P2424	\$83	HFP2424	\$192
30"x24"x8"	AM30248RL	\$427	PG3024	\$77	PA3024	\$91	P3024	\$104	HFP3024	\$207
30"x24"x10"	AM30240RL	\$435	PG3024	\$77	PA3024	\$91	P3024	\$104	HFP3024	\$207

Twist-Latch Hinged Cover



from **\$360**



Dimensions	Twist-latch Hinged Cover		Galvanized Sub-Panel		Aluminum Sub-Panel		Steel Sub-Panel		Aluminum Deadfront Panel	
	Part #	Price	Part #	Price	Part #	Price	Part #	Price	Part #	Price
24"x20"x8"	AM24208RT	\$360	PG2420	\$55	PA2420	\$71	P2420	\$81	-	-
24"x20"x10"	AM24200RT	\$366	PG2420	\$55	PA2420	\$71	P2420	\$81	HFP2420	\$178
24"x24"x8"	AM24248RT	\$383	PG2424	\$63	PA2424	\$78	P2424	\$83	HFP2424	\$192
24"x24"x10"	AM24240RT	\$393	PG2424	\$63	PA2424	\$78	P2424	\$83	HFP2424	\$192
30"x24"x8"	AM30248RT	\$427	PG3024	\$77	PA3024	\$91	P3024	\$104	HFP3024	\$207
30"x24"x10"	AM30240RT	\$435	PG3024	\$77	PA3024	\$91	P3024	\$104	HFP3024	\$207

Snap-Latch Hinged Cover w/Window



from **\$460**



Dimensions	Snap-latch Hinged Cover w/ Window		Galvanized Sub-Panel		Aluminum Sub-Panel		Steel Sub-Panel		Aluminum Deadfront Panel	
	Part #	Price	Part #	Price	Part #	Price	Part #	Price	Part #	Price
24"x20"x8"	AM24208RLW	\$460	PG2420	\$55	PA2420	\$71	P2420	\$81	-	-
24"x20"x10"	AM24200RLW	\$463	PG2420	\$55	PA2420	\$71	P2420	\$81	HFP2420	\$178
24"x24"x8"	AM24248RLW	\$502	PG2424	\$63	PA2424	\$78	P2424	\$83	HFP2424	\$192
24"x24"x10"	AM24240RLW	\$509	PG2424	\$63	PA2424	\$78	P2424	\$83	HFP2424	\$192
30"x24"x8"	AM30248RLW	\$531	PG3024	\$77	PA3024	\$91	P3024	\$104	HFP3024	\$207
30"x24"x10"	AM30240RLW	\$537	PG3024	\$77	PA3024	\$91	P3024	\$104	HFP3024	\$207

Twist-Latch Hinged Cover w/Window



from **\$460**



Dimensions	Twist-latch Hinged Cover w/ Window		Galvanized Sub-Panel		Aluminum Sub-Panel		Steel Sub-Panel		Aluminum Deadfront Panel	
	Part #	Price	Part #	Price	Part #	Price	Part #	Price	Part #	Price
24"x20"x8"	AM24208RTW	\$460	PG2420	\$55	PA2420	\$71	P2420	\$81	-	-
24"x20"x10"	AM24200RTW	\$463	PG2420	\$55	PA2420	\$71	P2420	\$81	HFP2420	\$178
24"x24"x8"	AM24248RTW	\$502	PG2424	\$63	PA2424	\$78	P2424	\$83	HFP2424	\$192
24"x24"x10"	AM24240RTW	\$509	PG2424	\$63	PA2424	\$78	P2424	\$83	HFP2424	\$192
30"x24"x8"	AM30248RTW	\$531	PG3024	\$77	PA3024	\$91	P3024	\$104	HFP3024	\$207
30"x24"x10"	AM30240RTW	\$537	PG3024	\$77	PA3024	\$91	P3024	\$104	HFP3024	\$207

Lead time items. Lead time 2-10 days. Call to confirm delivery.

NEMA 1, 2, 3, 3R, 4, 4X, 12, 13, Empire Series



from **\$1,185**



Features

- NEMA Type 1, 2, 3, 3R, 4, 4X, 12, 13 UL, CSA
- Molded fiberglass reinforced polyester construction
- Closed-cell neoprene gasket encased in a continuous channel
- 304 stainless steel hardware and mounting feet
- Mounting panel inserts for optional back panel
- UV stabilized for outdoor use

Dimensions	Enclosure		Steel Sub-Panel	
	Part #	Price	Part #	Price
36"x30"x12"D	AM363012L	\$1,185	P3630CS	\$133
36"x30"x16"D	AM363016L	\$1,295	P3630CS	\$133
36"x36"x12"D	AM363612L	\$1,481	P3636CS	\$148
36"x36"x16"D	AM363616L	\$1,550	P3636CS	\$148
48"x36"x12"D	AM483612L	\$1,619	P4836CS	\$185
48"x36"x16"D	AM483616L	\$1,784	P4836CS	\$185
60"x36"x12"D	AM603612L	\$1,935	P6036CS	\$230
60"x36"x16"D	AM603616L	\$2,038	P6036CS	\$230

Lead time items. Lead time 2-10 days. Call to confirm delivery.