


# WIRE DUCT

The panel building market has very specific needs. Betaduct is a unique cable management system developed specifically for use within cabinets and control panels. Betaduct is available in a number of different colors and sizes. Select Open, Narrow, Closed Slot, and Solid Wall (RaceWay) duct depending on your application.

- Industrial Grade Material**
- Made of self-extinguishing PVC
  - UL94 Flammability rating V-0
  - Service temperature 5°F to 140°F (-15°C to 60°C)
  - UL, CSA, CE, and Lloyds Register approved

**Score line**  
Fingers can be easily removed without the need for tools




**Lid Retention**  
Friction bead on wider duct provides excellent lid retention to resist vibration

**Cable Retention**  
Wiring duct design allows cables to be retained during installation, making routing and cable termination a simple process

**Easy Installation**  
Base slots are to DIN 43659 standard providing flexibility for easy installation

- Accessories**
- Dividers allow channel separation within single duct
  - Riveters and rivets allow for quick fastening and installation
  - Insulation washers provide location for dividers to be secured to base of wiring duct



## G-series Wide Slot Wiring Duct

from **\$11.60** per stick

- Wide fingers giving additional cable support
- Smooth edges for worry-free wiring and handling
- Terminated wires can be re-routed easily
- Scoreline at base of finger allows removal without the need for tools
- Made of self extinguishing rigid PVC
- UL94 Flammability rating V-0
- Service temperature 5°F to 140°F (-15°C to 60°C)
- 0.79" slot pitch, 0.31" slot width
- 23 sizes available in gray (RAL 7030), white, black, or blue
- Cover included with duct
- Dividers and many other optional accessories available

Size	External Dimensions		Carton Qty.		Gray		White		Black		Blue	
(W x H)	W in (mm)	H in (mm)	Lengths (6.5 ft.)	Total ft.	Part Number	Price	Part Number	Price	Part Number	Price	Part Number	Price
3/4" x 2"	0.98"(25)	2.09"(53)	12	78	BG.75X2LG6.5-C	\$149	BG.75X2WH6.5-C	\$149	BG.75X2BL6.5-C	\$174		
1" x 1 1/2"	1.14"(29)	1.61"(41)	12	78	BG1X1.5LG6.5-C	\$139	BG1X1.5WH6.5-C	\$139	BG1X1.5BL6.5-C	\$164		
1" x 2"	1.14"(29)	2.13"(54)	12	78	BG1X2LG6.5-C	\$151	BG1X2WH6.5-C	\$151	BG1X2BL6.5-C	\$179	BG1X2IB6.5-C	\$215
1" x 3"	1.14"(29)	3.11"(79)	8	52	BG1X3LG6.5-C	\$125	BG1X3WH6.5-C	\$125	BG1X3BL6.5-C	\$148	BG1X3IB6.5-C	\$175
1" x 4"	1.18"(30)	4.13"(105)	8	52	BG1X4LG6.5-C	\$146	BG1X4WH6.5-C	\$146	BG1X4BL6.5-C	\$175	BG1X4IB6.5-C	\$202
1 1/2" x 1 1/2"	1.61"(41)	1.61"(41)	12	78	BG1.5X1.5LG6.5-C	\$156	BG1.5X1.5WH6.5-C	\$156	BG1.5X1.5BL6.5-C	\$185		
1 1/2" x 2"	1.61"(41)	2.13"(54)	8	52	BG1.5X2LG6.5-C	\$119	BG1.5X2WH6.5-C	\$119	BG1.5X2BL6.5-C	\$138	BG1.5X2IB6.5-C	\$184
1 1/2" x 3"	1.54"(39)	3.11"(79)	8	52	BG1.5X3LG6.5-C	\$140	BG1.5X3WH6.5-C	\$140	BG1.5X3BL6.5-C	\$163	BG1.5X3IB6.5-C	\$212
1 1/2" x 4"	1.69"(43)	4.13"(105)	8	52	BG1.5X4LG6.5-C	\$156	BG1.5X4WH6.5-C	\$156	BG1.5X4BL6.5-C	\$185	BG1.5X4IB6.5-C	\$244
2" x 1"	2.13"(54)	1.10"(28)	12	78	BG2X1LG6.5-C	\$171	BG2X1WH6.5-C	\$171	BG2X1BL6.5-C	\$219		
2" x 1 1/2"	2.13"(54)	1.61"(41)	8	52	BG2X1.5LG6.5-C	\$115	BG2X1.5WH6.5-C	\$115	BG2X1.5BL6.5-C	\$134		
2" x 2"	2.13"(54)	2.13"(54)	8	52	BG2X2LG6.5-C	\$119	BG2X2WH6.5-C	\$119	BG2X2BL6.5-C	\$140	BG2X2IB6.5-C	\$166
2" x 3"	2.17"(55)	3.11"(79)	8	52	BG2X3LG6.5-C	\$146	BG2X3WH6.5-C	\$146	BG2X3BL6.5-C	\$173	BG2X3IB6.5-C	\$213
2" x 4"	2.20"(56)	4.13"(105)	4	26	BG2X4LG6.5-C	\$83	BG2X4WH6.5-C	\$83	BG2X4BL6.5-C	\$99	BG2X4IB6.5-C	\$122
3" x 1 1/2"	3.15"(80)	1.61"(41)	8	52	BG3X1.5LG6.5-C	\$146	BG3X1.5WH6.5-C	\$146	BG3X1.5BL6.5-C	\$173		
3" x 2"	3.07"(78)	2.13"(54)	8	52	BG3X2LG6.5-C	\$151	BG3X2WH6.5-C	\$151	BG3X2BL6.5-C	\$179		
3" x 3"	3.15"(80)	3.15"(80)	8	52	BG3X3LG6.5-C	\$176	BG3X3WH6.5-C	\$176	BG3X3BL6.5-C	\$209	BG3X3IB6.5-C	\$238
3" x 4"	3.15"(80)	4.13"(105)	4	26	BG3X4LG6.5-C	\$101	BG3X4WH6.5-C	\$101	BG3X4BL6.5-C	\$120	BG3X4IB6.5-C	\$140
4" x 2"	4.21"(107)	2.13"(54)	4	26	BG4X2LG6.5-C	\$87	BG4X2WH6.5-C	\$87	BG4X2BL6.5-C	\$101		
4" x 3"	4.21"(107)	3.15"(80)	4	26	BG4X3LG6.5-C	\$98	BG4X3WH6.5-C	\$98	BG4X3BL6.5-C	\$114	BG4X3IB6.5-C	\$156
4" x 4"	4.21"(107)	4.09"(104)	4	26	BG4X4LG6.5-C	\$116	BG4X4WH6.5-C	\$116	BG4X4BL6.5-C	\$138	BG4X4IB6.5-C	\$172
4" x 5"	4.21"(107)	5.12"(130)	4	26	BG4X5LG6.5-C	\$155	BG4X5WH6.5-C	\$155	BG4X5BL6.5-C	\$188		
5" x 3"	5.16"(131)	3.07"(78)	4	26	BG5X3LG6.5-C	\$153	BG5X3WH6.5-C	\$153	BG5X3BL6.5-C	\$184		


**FREE Ground Shipping!\***  
for online orders over \$500



## F-series Narrow Slot Wiring Duct

from **\$11.60** per stick

**BETADUCT**




- Ideal for use with high-density narrow terminal blocks where more access is required
- Improve appearance of panels with cables out in best position
- Scoreline at base of finger allows removal without the need for tools
- Made of self extinguishing rigid PVC with UL94 Flammability rating V-0
- Service temp. 5°F to 140°F (-15°C to 60°C)
- 0.39" slot pitch, 0.16" slot width
- 20 sizes in gray (RAL 7030), white, or black
- Cover included with duct
- Dividers and many other accessories available

Size (W x H)	External Dimen.		Carton Qty.		Gray	White	Price
	W in (mm)	H in (mm)	Lengths (6.5 ft.)	Total ft.	Part Number	Part Number	
3/4" x 2"	0.98"(25)	2.09"(53)	12	78	BF.75X2LG6.5-C	BF.75X2WH6.5-C	\$149
1" x 1 1/2"	1.14"(29)	1.61"(41)	12	78	BF1X1.5LG6.5-C	BF1X1.5WH6.5-C	\$139
1" x 2"	1.14"(29)	2.13"(54)	12	78	BF1X2LG6.5-C	BF1X2WH6.5-C	\$151
1" x 3"	1.14"(29)	3.11"(79)	8	52	BF1X3LG6.5-C	BF1X3WH6.5-C	\$125
1" x 4"	1.18"(30)	4.13"(105)	8	52	BF1X4LG6.5-C	BF1X4WH6.5-C	\$146
1 1/2" x 1 1/2"	1.61"(41)	1.61"(41)	12	78	BF1.5X1.5LG6.5-C	BF1.5X1.5WH6.5-C	\$156
1 1/2" x 2"	1.61"(41)	2.13"(54)	8	52	BF1.5X2LG6.5-C	BF1.5X2WH6.5-C	\$119
1 1/2" x 3"	1.54"(39)	3.11"(79)	8	52	BF1.5X3LG6.5-C	BF1.5X3WH6.5-C	\$140
1 1/2" x 4"	1.69"(43)	4.13"(105)	8	52	BF1.5x4LG6.5-C	BF1.5x4WH6.5-C	\$156
2" x 1 1/2"	2.13"(54)	1.61"(41)	8	52	BF2X1.5LG6.5-C	BF2X1.5WH6.5-C	\$115
2" x 2"	2.13"(54)	2.13"(54)	8	52	BF2X2LG6.5-C	BF2X2WH6.5-C	\$119
2" x 3"	2.17"(55)	3.11"(79)	8	52	BF2X3LG6.5-C	BF2X3WH6.5-C	\$146
2" x 4"	2.20"(56)	4.13"(105)	4	26	BF2X4LG6.5-C	BF2X4WH6.5-C	\$83
3" x 1 1/2"	3.15"(80)	1.61"(41)	8	52	BF3X1.5LG6.5-C	BF3X1.5WH6.5-C	\$146
3" x 2"	3.07"(78)	2.13"(54)	8	52	BF3X2LG6.5-C	BF3X2WH6.5-C	\$151
3" x 3"	3.15"(80)	3.15"(80)	8	52	BF3X3LG6.5-C	BF3X3WH6.5-C	\$176
3" x 4"	3.15"(80)	4.13"(105)	4	26	BF3X4LG6.5-C	BF3X4WH6.5-C	\$101
4" x 2"	4.21"(107)	2.13"(54)	4	26	BF4X2LG6.5-C	BF4X2WH6.5-C	\$87
4" x 3"	4.21"(107)	3.15"(80)	4	26	BF4X3LG6.5-C	BF4X3WH6.5-C	\$98
4" x 4"	4.21"(107)	4.09"(104)	4	26	BF4X4LG6.5-C	BF4X4WH6.5-C	\$116

## D-series Closed Slot Wiring Duct

from **\$13.10** per stick



- Excellent cable retention
- Enhanced protection for installers
- Scoreline at base of finger allows removal without the need for tools
- Made of self extinguishing rigid PVC with UL94 Flammability rating V-0
- Service temp. 5°F to 140°F (-15°C to 60°C)
- 0.79" slot pitch, 0.31" slot width
- 25 sizes in gray (RAL 7030), white, or black
- Cover included with duct
- Dividers and many other accessories available


Size (W x H)	External Dimen.		Carton Qty.		Gray	White	Price
	W in (mm)	H in (mm)	Lengths (6.5 ft.)	Total ft.	Part Number	Part Number	
1/2" x 1/2"	0.67"(17)	0.67"(17)	24	156	BD.5X.5LG6.5-C	BD.5X.5WH6.5-C	\$314
3/4" x 2"	0.98"(25)	2.09"(53)	12	78	BD.75X2LG6.5-C	BD.75X2WH6.5-C	\$176
1" x 3/4"	1.14"(29)	0.91"(23)	12	78	BD1X.75LG6.5-C	BD1X.75WH6.5-C	\$172
1" x 1 1/2"	1.14"(29)	1.61"(41)	12	78	BD1X1.5LG6.5-C	BD1X1.5WH6.5-C	\$180
1" x 2"	1.14"(29)	2.13"(54)	12	78	BD1X2LG6.5-C	BD1X2WH6.5-C	\$193
1" x 3"	1.14"(29)	3.11"(79)	8	52	BD1X3LG6.5-C	BD1X3WH6.5-C	\$163
1" x 4"	1.18"(30)	4.13"(105)	8	52	BD1X4LG6.5-C	BD1X4WH6.5-C	\$187
1 1/2" x 1 1/2"	1.61"(41)	1.61"(41)	12	78	BD1.5X1.5LG6.5-C	BD1.5X1.5WH6.5-C	\$188
1 1/2" x 2"	1.61"(41)	2.13"(54)	8	52	BD1.5X2LG6.5-C	BD1.5X2WH6.5-C	\$174
1 1/2" x 3"	1.54"(39)	3.11"(79)	8	52	BD1.5X3LG6.5-C	BD1.5X3WH6.5-C	\$200
1 1/2" x 4"	1.69"(43)	4.13"(105)	8	52	BD1.5x4LG6.5-C	BD1.5x4WH6.5-C	\$199
2" x 1"	2.13"(54)	1.10"(28)	12	78	BD2X1LG6.5-C	BD2X1WH6.5-C	\$250
2" x 1 1/2"	2.13"(54)	1.61"(41)	8	52	BD2X1.5LG6.5-C	BD2X1.5WH6.5-C	\$158
2" x 2"	2.13"(54)	2.13"(54)	8	52	BD2X2LG6.5-C	BD2X2WH6.5-C	\$155
2" x 3"	2.17"(55)	3.11"(79)	8	52	BD2X3LG6.5-C	BD2X3WH6.5-C	\$197
2" x 4"	2.20"(56)	4.13"(105)	4	26	BD2X4LG6.5-C	BD2X4WH6.5-C	\$113
3" x 1 1/2"	3.15"(80)	1.61"(41)	8	52	BD3X1.5LG6.5-C	BD3X1.5WH6.5-C	\$191
3" x 2"	3.07"(78)	2.13"(54)	8	52	BD3X2LG6.5-C	BD3X2WH6.5-C	\$204
3" x 3"	3.15"(80)	3.15"(80)	8	52	BD3X3LG6.5-C	BD3X3WH6.5-C	\$221
3" x 4"	3.15"(80)	4.13"(105)	4	26	BD3X4LG6.5-C	BD3X4WH6.5-C	\$129
4" x 2"	4.21"(107)	2.13"(54)	4	26	BD4X2LG6.5-C	BD4X2WH6.5-C	\$124
4" x 3"	4.21"(107)	3.15"(80)	4	26	BD4X3LG6.5-C	BD4X3WH6.5-C	\$145
4" x 4"	4.21"(107)	4.09"(104)	4	26	BD4X4LG6.5-C	BD4X4WH6.5-C	\$160
4" x 5"	4.21"(107)	5.12"(130)	4	26	BD4X5LG6.5-C	BD4X5WH6.5-C	\$190
5" x 3"	5.16"(131)	3.07"(78)	4	26	BD5X3LG6.5-C	BD5X3WH6.5-C	\$167

To order call **1.800.972.0436** or visit **factorymation.com**

No Games, No Gimmicks...

...Just Great Products at Great Prices!!!

## FS-series Raceway (Solid Wall)




- Ideal where no break outs are required or side wall access is infrequent
- Complete cable protection
- Made of self extinguishing rigid PVC with UL94 Flammability rating V-0
- Service temp. 5°F to 140°F (-15°C to 60°C)
- 25 sizes in gray (RAL 7030), white, or black
- Cover included with duct
- Dividers and many other accessories available

from **\$13.10** per stick

Size (W x H)	External Dimen.		Carton Qty.		Gray	White	Black	Price
	W in (mm)	H in (mm)	Lengths (6.5 ft.)	Total ft.	Part Number	Part Number	Part Number	
1/2" x 1/2"	0.67"(17)	0.67"(17)	24	156	BFS.5X.5LG6.5NM-C	BFS.5X.5WH6.5NM-C	BFS.5X.5BL6.5NM-C	\$314
3/4" x 2"	0.98"(25)	2.09"(53)	12	78	BFS.75X2LG6.5NM-C	BFS.75X2WH6.5NM-C	BFS.75X2BL6.5NM-C	\$176
1" x 3/4"	1.14"(29)	0.91"(23)	12	78	BFS1X.75LG6.5NM-C	BFS1X.75WH6.5NM-C	BFS1X.75BL6.5NM-C	\$172
1" x 1 1/2"	1.14"(29)	1.61"(41)	12	78	BFS1X1.5LG6.5NM-C	BFS1X1.5WH6.5NM-C	BFS1X1.5BL6.5NM-C	\$180
1" x 2"	1.14"(29)	2.13"(54)	12	78	BFS1X2LG6.5NM-C	BFS1X2WH6.5NM-C	BFS1X2BL6.5NM-C	\$193
1" x 3"	1.14"(29)	3.11"(79)	8	52	BFS1X3LG6.5NM-C	BFS1X3WH6.5NM-C	BFS1X3BL6.5NM-C	\$163
1" x 4"	1.18"(30)	4.13"(105)	8	52	BFS1X4LG6.5NM-C	BFS1X4WH6.5NM-C	BFS1X4BL6.5NM-C	\$187
1 1/2"x1 1/2"	1.61"(41)	1.61"(41)	12	78	BFS1.5X1.5LG6.5NM-C	BFS1.5X1.5WH6.5NM-C	BFS1.5X1.5BL6.5NM-C	\$188
1 1/2" x 2"	1.61"(41)	2.13"(54)	8	52	BFS1.5X2LG6.5NM-C	BFS1.5X2WH6.5NM-C	BFS1.5X2BL6.5NM-C	\$174
1 1/2" x 3"	1.54"(39)	3.11"(79)	8	52	BFS1.5X3LG6.5NM-C	BFS1.5X3WH6.5NM-C	BFS1.5X3BL6.5NM-C	\$200
1 1/2" x 4"	1.69"(43)	4.13"(105)	8	52	BFS1.5x4LG6.5NM-C	BFS1.5x4WH6.5NM-C	BFS1.5x4BL6.5NM-C	\$199
2" x 1"	2.13"(54)	1.10"(28)	12	78	BFS2X1LG6.5NM-C	BFS2X1WH6.5NM-C	BFS2X1BL6.5NM-C	\$250
2" x 1 1/2"	2.13"(54)	1.61"(41)	8	52	BFS2X1.5LG6.5NM-C	BFS2X1.5WH6.5NM-C	BFS2X1.5BL6.5NM-C	\$158
2" x 2"	2.13"(54)	2.13"(54)	8	52	BFS2X2LG6.5NM-C	BFS2X2WH6.5NM-C	BFS2X2BL6.5NM-C	\$155
2" x 3"	2.17"(55)	3.11"(79)	8	52	BFS2X3LG6.5NM-C	BFS2X3WH6.5NM-C	BFS2X3BL6.5NM-C	\$197
2" x 4"	2.20"(56)	4.13"(105)	4	26	BFS2X4LG6.5NM-C	BFS2X4WH6.5NM-C	BFS2X4BL6.5NM-C	\$113
3" x 1 1/2"	3.15"(80)	1.61"(41)	8	52	BFS3X1.5LG6.5NM-C	BFS3X1.5WH6.5NM-C	BFS3X1.5BL6.5NM-C	\$191
3" x 2"	3.07"(78)	2.13"(54)	8	52	BFS3X2LG6.5NM-C	BFS3X2WH6.5NM-C	BFS3X2BL6.5NM-C	\$204
3" x 3"	3.15"(80)	3.15"(80)	8	52	BFS3X3LG6.5NM-C	BFS3X3WH6.5NM-C	BFS3X3BL6.5NM-C	\$221
3" x 4"	3.15"(80)	4.13"(105)	4	26	BFS3X4LG6.5NM-C	BFS3X4WH6.5NM-C	BFS3X4BL6.5NM-C	\$129
4" x 2"	4.21"(107)	2.13"(54)	4	26	BFS4X2LG6.5NM-C	BFS4X2WH6.5NM-C	BFS4X2BL6.5NM-C	\$124
4" x 3"	4.21"(107)	3.15"(80)	4	26	BFS4X3LG6.5NM-C	BFS4X3WH6.5NM-C	BFS4X3BL6.5NM-C	\$145
4" x 4"	4.21"(107)	4.09"(104)	4	26	BFS4X4LG6.5NM-C	BFS4X4WH6.5NM-C	BFS4X4BL6.5NM-C	\$160
4" x 5"	4.21"(107)	5.12"(130)	4	26	BFS4X5LG6.5NM-C	BFS4X5WH6.5NM-C	BFS4X5BL6.5NM-C	\$190
5" x 3"	5.16"(131)	3.07"(78)	4	26	BFS5X3LG6.5NM-C	BFS5X3WH6.5NM-C	BFS5X3BL6.5NM-C	\$167

## Betaduct Accessories



### Spare Cover

Size (W x H)	Carton Qty.		Gray	White	Black	Blue	Price
	Lengths (6.5 ft.)	Total ft.	Part Number	Part Number	Part Number	Part Number	
1/2"	12	78	BC.5LG6.5	BC.5WH6.5	BC.5BL6.5	N/A	\$45
3/4"	12	78	BC.75LG6.5	BC.75WH6.5	BC.75BL6.5	N/A	\$55
1"	12	78	BC1LG6.5	BC1WH6.5	BC1BL6.5	BC1B6.5	\$60
1 1/2"	12	78	BC1.5LG6.5	BC1.5WH6.5	BC1.5BL6.5	BC1.5B6.5	\$65
2"	12	78	BC2LG6.5	BC2WH6.5	BC2BL6.5	BC2B6.5	\$80
3"	12	78	BC3LG6.5	BC3WH6.5	BC3BL6.5	BC3B6.5	\$110
4"	6	39	BC4LG6.5	BC4WH6.5	BC4BL6.5	BC4B6.5	\$75
5"	6	39	BC5LG6.5	BC5WH6.5	BC5BL6.5	N/A	\$90

### Dividers

P/N	Description	Carton Qty.	Price
BD2LG6.5	2" Divider, 6.5 feet length, Gray	4	\$65
BD2BL6.5	2" Divider, 6.5 feet length, Black	4	\$65
BD3LG6.5	3" Divider, 6.5 feet length, Gray	4	\$71
BD3BL6.5	3" Divider, 6.5 feet length, Black	4	\$71

### Washers / Rivets / Tools

P/N	Description	Carton Qty.	Price
BW-1	Insulating Washers	50	\$25
BR-1	Rivets (Small) - 1/2" W Duct	100	\$20
BR-2	Rivets (Large) - 3/4" W - 5"W Duct	100	\$36
BSC-1	Side Cutter	1	\$183
BRV-1	Rivetter	1	\$210



**FREE Ground Shipping!**  
for online orders over \$500

